



T-Top Boat-Cover

Your **T-Top-Boat-Cover** is patterned to custom-fit your specific year, make and model of boat. The zipper side (Port or Starboard) is selected at purchase and the cover made to your order in the chosen material (Elite 9oz./sq.yd. or WeatheMax 8oz./sq.yd. fabric). Options include: Storage Bag, Tie-Down Straps and Sand Bags (for lift storage).

RNR-Marine, Inc. is the top dealer of quality TTopCovers.com products (T-Top-Boat-Covers, T-Top-Storage-Curtains, Boat-Shade-Kit, etc.) in the United States. TTopCovers.com products are Manufactured and Warranted by LaPorte's Upholstery in North Charleston, SC.



T-Top Boat Covers

LaPorte's Upholstery, Inc.
 4352 Bridge View Drive
 North Charleston, SC 29405
 Telephone (843) 554-6919
 Fax (843) 554-9364
 www.ttopcovers.com

Your T-Top Boat Cover is Ready to Assemble.

Setting up your T-Top Boat Cover™ is an easy, one person operation. After reading the instructions and setting up your T-Top Boat Cover, you'll find that installing and disassembling takes approximately five minutes. T-Top Boat Covers are manufactured for your specific model. Our covers are uniquely designed with one inch webbing and an adjustable clip that allows T-Top Boat Covers to fit models that have both factory and aftermarket T-tops. Plus, our adjustable one inch webbing strap allows flexibility in fastening the cover to different style T-top frames.


INSTRUCTIONAL CD

is also available at nominal cost...

Call (843) 554-6919 for details.

Assembly Instructions

Getting started is easy.




1 First, locate the only royal blue webbing strap located on your T-Top Boat Cover. Attach the strap to the front center bar beneath the canvas top. (See photos A-B.)



Note: If there is no center bar to attach strap to, an additional connector strap is needed. (See photo C.)

2 Next, find the two black webbing straps located on each side of the blue strap, and attach the black straps to the right and left of the center bar. The fabric between the straps should be taut. Then, place the smaller section of your T-top cover over the bow. Once your cover has been properly installed for the first time, you may slide the cover over the bow before attaching the royal blue strap. (See photos F-G.)



Note: There are various types of bows on different boats. (See photos E-G.)



Standard Bow



Projecting Bow Anchor



Pulpit with Rails

3 Place the portion of the cover that contains the draw rope over the port side rub rail. Find the webbing strap that is located next to the forward half of the zipper on the port side of the cover. Connect this strap to the horizontal bar found under the canvas top and positioned between the console and the helm seat. (See photo H.) The material between the webbing straps should be kept taut.

Note: These straps are adjustable and can be tightened or loosened as necessary.



Take the larger section of the cover and place the portion that contains the draw rope over the starboard side rub rail. Position the remaining section of the cover over the motor or motors. Find the stern half of the zipper and join to the forward half of the zipper located between the console and helm seat zipping approximately one third of the way.

Continued...

Your Warranty

T-TOP BOAT COVER LIMITED WARRANTY:

We guarantee top quality craftsmanship and material against defects upon time of receiving a product. Our warranty consists of one full year from the time of purchase of the craftsmanship of the boat cover. Proper installation and care of the boat cover must be maintained. In response to a defect, customer is responsible for complete cost of freight to and from manufacturer. T-Top Boat Covers are for storage only. Traveling with cover will void warranty (it will be Manufacturer's final discretion regarding care of cover).

All covers made with Sur Last™ material will receive an additional limited warranty. This warranty covers Sur Last fabric from becoming unserviceable because of loss of color or strength from normal exposure conditions, including sunlight, mildew or rot. This coverage does not include labor. This additional warranty (relating to the Sur Last fabric only) consists of a three year warranty coverage which begins from date of purchase of cover.

All customers must call before returning a defective boat cover to receive a confirmation number. Send warranty claims to LaPorte's Upholstery, Inc., 4352 Bridge View Drive, North Charleston, SC 29405.

Special Notes: T-Top Boat Covers are not a travel cover. Traveling with cover in place will void warranty.



T-Top Boat Covers

LaPorte's Upholstery, Inc.
4352 Bridge View Drive
North Charleston, SC 29405
Telephone (843) 554-6919
Fax (843) 554-9364

www.ttopcovers.com


Next find the webbing strap closest to the stern zipper and attach this strap to the same horizontal bar between the console and the helm. Then find the webbing strap that is to the immediate left and attach this strap to the center horizontal bar under the canvas top. (See photo J.) Continuing to the immediate left, locate the third strap and attach this strap to the horizontal bar under the canvas top on the starboard side and between the console and helm seat. (See photos H-J.)



Optional Stern Connector Strap



④ Depending on the size of your T-top cover, there may be additional straps to secure. If so, continue connecting the remaining straps in a counter clockwise motion to any horizontal bar found under the canvas top. While stepping out of the boat complete zipping the remaining portion of the zipper. At the bottom of the zipper is a draw rope which has loops on both ends. Slide one end of the rope through a loop and draw the rope tight. Make a clove hitch knot at the end of rope. (See photos K-M.)



⑤ Check to confirm that the cover is securely fastened over the bow, rub rails, aft corners, and motor. One inch loops are installed around the bottom of the cover for tie downs. Tie downs are not included with the cover. If cover fits loosely, re-enter the boat to adjust one inch webbing straps. Motor or motors should be in a down position for proper fit of cover. (See photos N-O.)



Improperly Installed Cover



Properly Installed Cover

T-Top Boat Cover Add-On Options Available...Call (843) 554-6919 For Pricing.



Storage Bag for Cover
Protect your T-Top Boat Cover while not in use.



Adjustable Tie Down Straps
Nine adjustable straps hold down T-Top Boat Cover to trailer sides.



Connector Straps

Connector strap is used when boat's T-top does not have a front or aft center bar to attach webbing.

Note: One Connector Strap is included with the purchase of your T-Top Boat Cover. For boats without exposed front and aft center bars, additional strap purchase may be required.

