



SPECIFICATIONS

Overall length w/std. integral swim platform	26'7"	8.10 m
Beam	8'6"	2.59 m
Draft		
(sterndrive down)	41"	104 cm
(sterndrive up)	23"	58 cm
Dry weight	6,950 lbs	3152 kg
Fuel capacity	75 gal	284 L
Water capacity	20 gal	76 L
Holding tank (opt.)	18 gal	68 L
Dead rise	19°	19°

The specification measurements are approximations and subject to variance.

HIGHLIGHTS

- Mercury® Installation Quality Certification - standard two-year limited engine warranty
- Standard MerCruiser® 5.0L MPI Bravo® III with ECT
- Standard SmartCraft® instrumentation and diagnostics with glass lenses for improved visibility
- Entertaining cockpit design with wet bar
- Full function helm with designated surface for optional GPS/chartplotter
- Sony® 12V AM/FM stereo with CD player and MP3 port
- Fully enclosed fiberglass head
- Standard microwave and 12V refrigerator in galley
- Convertible dinette/V-berth with dedicated storage for table and filler cushions
- Cherry or maple wood-finish interior cabinetry
- Standard 110V/30-amp shore power for battery charger, receptacles, and optional 8,000-BTU air conditioning/heating
- Sea Ray Owners Club™ membership (available in US & Canada)

FEATURES AND STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 8" Thru-Bolted - Stainless Steel (6)
Deck Fill Plates - Chrome
Drain Plug, Brass-Threaded - Garboard
Gel-Coat, Arctic White
Grab Handles, Stainless Steel
Graphics, Striping
Handrail, Stainless Steel - Transom
Hatch, Deck Vent - Translucent w/ Locks
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Portlights, Stainless-Steel (2 Opening)
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless-Steel Insert
Shipping Cover
Skylights (2)
Storage, Transom Wall - Accessible From Swim Platform

Stringer System, Foam
Swim Platform, Integral/Extended w/ Concealed Stainless-Steel Four-Step Swim Ladder & Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted/ Curved Glass w/Walk-Thru & Stainless-Steel Supports
Windshield Wiper, Self Parking - Starboard

Canvas (Sunbrella®):
Bimini Top w/Boot, Ball & Socket Fittings & Vertical Storage
Dash Cover

Certifications:
Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel (4)
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry, Lockable
Door, Transom
Floor Liner, Fiberglass - Self-Bailing
Glove Box w/12V Outlet (For Cell Phone Charger)
Hatch, Engine Room - Gas Assist
Lighting, Indirect - LED
Outlets, 120V GFI Protected (2)

Refreshment Center w/Beverage Holders (3), Stainless-Steel
Handrail, Trash Receptacle & Storage Below
Seating, Helm - Double Seat w/ Rotating Base & Folding Backrest w/Lockable Leaning Post
Seating, Port - L-Shaped Lounger w/Fold-Down Backrest, Storage Below & Removable Corner Section w/Dedicated Storage
Steps, Boarding - Molded-In

CABIN FEATURES

Carbon Monoxide Monitor
Lighting, 12V
Lighting, LED Accent
Outlets, 120V GFI Protected
Stereo, Sony® 12V AM/FM Single CD, MP3 Port (Cabin & Helm), Speakers (2 Cabin & 2 Cockpit) & Digital Cockpit Remote Control
Wood Interior Package - Cherry
Wood-Finished Cabinets

Galley:
Blinds, Portlight (Opening)
Countertop, Molded Fiberglass w/ Sink, Faucet & Solid-Surface Sink Cover
Microwave - Stainless Steel
Outlets (12V Accessory)
Refrigerator, Drawer Style, Stainless Steel - 12V
Storage, Cabinets - Upper & Lower
Storage Locker w/Stainless-Steel Retaining Rails & Dedicated Trash Storage
Trash Receptacle

V-Berth:
Mirrored Rope Locker Bulkhead
Seating, Converts to Bed w/ Dedicated Cushion Storage & Storage Below
Storage, Dedicated Area (For Optional Hanging Garment Bag)
Storage, Side Shelves
Table, Dinette - Solid Wood w/ Designated Storage

Mid-Berth:
Bunk, Double
Storage, Cabinet

Head:
Handrail, Stainless Steel
Head, Enclosed - Full Fiberglass w/ Shower & Curtain
Head, Portable
Mirror
Vanity w/Sink, Faucet w/Pullout Sprayer & Storage Below

TECHNICAL FEATURES

Control Station:
Compass
Horn
Instrument Panels - Mahogany
Shift & Throttle - Side Mount
SmartCraft® Diagnostics:
- Instrumentation, Custom
Sea Ray® SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- 4-In-1 Gauge: (Includes: Fuel Level, Oil Pressure, Trim & Water Temperature)
- Speedometer
- System Tachometer: (Includes: Depth/Water Temp, Engine Alarm/Hour Meter, Fuel Consumption/Usage, Trim Level, Voltage & Digital Speed)
Steering, Power-Assisted
Steering, Tilt Wheel
Steering Wheel, Wood Accent & Satin Spokes
Switch Panel Backlit w/Weatherproof Lighted Chrome Toggle Switches

Electrical Systems:
Battery Charger/Converter, 120V
Battery Switch, Dual w/Battery Trays & Mounts
Fuse Block

Isolator, Galvanic
Panel, DC Main Breaker
Panel, Main Distribution - AC/DC
Shore Power, 30 Amp/120V w/50' Cord & Adapter
Wiring, Color-Coded w/Chafe Protection

Engine Room:
Bilge Pump, 12V Automatic
Blower, 12V Bilge (2)
Gel-Coated Engine Room
Insulated Engine Room
Lighting, 12V
Oil Filter - Remote

Fuel System:
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

Water System:
Freshwater Washdown Spigot w/ Dockside Water Inlet
Pressure Water System w/12V Pump
Water Heater, 120V (6 Gallon) w/ Exchanger
Water Tank (20 Gallon)

Underwater Gear:
Propeller, Stainless Steel
Trim Tabs, Hydraulic

STANDARD PROPULSION

Gasoline Sterndrive:
MerCruiser® 5.0L MPI ECT* Bravo® III (260 hp - 194 kW)

*Std in the US Only (Non-ECT Engine Available Outside the US)

OPTIONS AND ACCESSORIES

OPTIONAL PROPULSION

Gasoline Sterndrive:
MerCruiser 5.0L MPI ECT* SeaCore™ Bravo III (260 hp - 194 kW)
MerCruiser 350 MAG ECT* Bravo III (300 hp - 224 kW)
MerCruiser 350 MAG ECT* SeaCore Bravo III (300 hp - 224 kW)

Diesel Sterndrive (Int'l):
Yanmar® 6BY-260Z Bravo III (260 hp - 194 kW)
Yanmar 6BY-260Z Bravo III SeaCore (260 hp - 194 kW)
(SmartCraft Systems N/A on Diesel Engine Applications)

*Non-ECT Engine Available Outside the US

GENERATOR OPTIONS

5.0 kW Kohler® - Low Emission - Gas, 120V/60Hz
4.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)
4.0 kW Kohler Diesel, 120V/60 Cycle (Int'l)
3.5 kW Kohler Diesel, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling, Remote Fuel Filter, Seacock & Seawater Strainer
(Generator Manufacturer & Size May Vary Due to Product Availability)

OPTIONAL PACKAGES

Canvas Package:
Aft Curtain w/Bungee Straps
Canvas Storage Bag
Front Curtains
Side Curtains

Camper Canvas Package:
Camper Aft Curtain
Camper Top w/Boot & Vertical Storage
Canvas Storage Bag
Front Curtains
Side Curtains (Bimini & Camper)

INDIVIDUAL OPTIONS

Air Conditioning/Heating, 120V (8,000 BTU)	Screen, Deck Hatch
Anchor Chute w/Hawse Pipe	Sirius® Satellite Receiver w/Antenna (N/A Outside N. America)
Bottom Paint	Softop w/Fixed Aluminum Frame (Only Available w/Spoiler)
Bow Rail, Split	Spoiler, Molded Fiberglass (Seamless) w/Overhead LED Lighting
Canvas, Cockpit Cover	Spotlight, 5" Remote-Controlled
Canvas, Blue or White (In Lieu of Black)	Stereo, Premium Cockpit Sound System w/Upgraded Component Speakers, Amplifier, Subwoofer & Transom Stereo Remote
Carpet, Snap-In - Cockpit	Stereo Remote Control - Additional Unit on Transom
Carpet Runners, Interior (Sunbrella®)	Stove, Alcohol/Electric, Single Burner
Chartplotter/GPS - Raymarine® Color LCD	Stove, Butane - Single Burner
Colored Hull - Full Color - Blue, Black or Pewter (Bottom Paint Required)	Table, Cockpit - Solid Teak w/Dedicated Storage & Sun Pad Cushion
Colored Hull - Two-Tone - Black, Blue or Pewter (N/A w/Bottom Paint)	TV & DVD Player - V-Berth
Door, Cabin Entry w/Screen	VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount
Fire Suppression System - Automatic w/Manual Pull	Wet Bar w/Stainless-Steel Sink, Faucet, Corian® Accent, Beverage Holders (2), Stainless-Steel Handrail, Trash Receptacle & Storage Below
Flagpole w/Base & American Flag	Windlass, Chain w/Foot Switches
Flooring, Wood - Cabin	Windlass, Rope/Chain w/Foot Switches
Freshwater Cooling (5.0L Engine Only - Std w/SeaCore™)	Wood Interior Package, Maple Matte Wood Finished Cabinets
Gel-Coated Dash - Nickel	
Gray Water System	CE Option
Head, Pump-Out	Pre-Rigged
Head, VacuFlush® w/18-Gallon Holding Tank	Storage Cradle
Head, VacuFlush w/Overboard Discharge (Int'l)	
Inverter, 12V to 120V/60 Cycle	
Lighting, Under Swim Platform	
Lighting, Underwater - Thru-Hull	
Luggage, Portable Garment, Sea Ray Branded w/Dedicated Storage - V-Berth	
Macerator w/Seacock Interlock System	
Mid-Sleeper Window, Sliding w/Screen	



Cockpit Layout



Cabin Layout

NOTE: Boats which are ordered with 220V/50 Cycle Electrical Systems will be installed with the appropriate appliances in the corresponding voltage.

260

SUNDANCER®

Sea Ray®
2011

The unbeatable style and functionality of our 260 Sundancer inspires extended trips. Simply trailer it wherever you want to go, then hit the water and enjoy all the ingredients you need for an epic cruise: comfortable V-berth and mid-stateroom, open cockpit with reversible helm seat and wet bar, full galley and head, and plenty of storage. Just sit back and surge ahead.



SmartCraft® instrumentation with built-in engine diagnostics come standard. A VHF radio is optional.



The V-berth transforms into a dinette with a solid wood table, or becomes a bed with cushion insert.



Hot features in the galley include a microwave, optional stovetop, refrigerator, and storage.



The doublewide helm seat rotates to face aft when the boat is at rest, maximizing entertainment space.

Sea Ray Boats, 2600 Sea Ray Blvd., Knoxville, TN 37914. For information, fax 1-636-326-3282. Internet address: <http://www.searay.com>

Note: Not all accessories shown in pictures or described herein are standard equipment or even available as options. Options and features are subject to change without notice. Not all model year boats may contain all the features or meet the specifications described herein. Confirm availability of all accessories and equipment with an authorized Sea Ray dealer prior to purchase. Printed in the U.S.A. August 2010 ©Sea Ray Boats.

102010